


versalis
revive®



versalis

VERSALIS REVIVE[®], NEW LIFE TO PLASTIC AND RUBBER WASTE THROUGH MECHANICAL RECYCLING

Developed at Versalis research laboratories, Versalis Revive[®] and Refence[®] are product lines with different base polymers (styrenics, elastomers and polyethylene) containing recycled materials.


With this product range, we are tackling one of the circular economy's most demanding, yet worthwhile, technological challenges: giving new life to waste plastic and rubber by recycling, creating new products for a wide range of high-quality applications.

From innovation to higher sustainability: mechanical recycling of plastics and elastomers

To breathe new life into polymer waste, Versalis Revive[®] and Refence[®] rely on an advanced mechanical-recycling process, a core element of the plastic life cycle.

This method enables recovery of post-consumer and post-industrial materials, transforming them into new feedstocks without affecting performance.

This technology allows Versalis Revive[®] and Refence[®] to not only extend the material life cycle but also reduce both virgin feedstock consumption and environmental impact, offering a more environmentally sustainable high-performance solutions for various industrial applications.



The Versalis Revive[®] and Refence[®] product families expand and complement the corporate portfolio, offering customers innovative grades with varying levels of recycled content to ensure high-quality applications.

VERSALIS REVIVE® STYRENICS

PORTO MARGHERA Mechanical recycling hub


At Porto Marghera, Versalis has established the first advanced mechanical recycling plant for post-consumer plastics. The facilities are equipped with 4 production lines capable of providing styrenic polymers (r-GPPS and r-EPS) obtained from secondary feedstock for sectors **such as packaging and building**. These products extend the **Versalis Revive®** portfolio, consolidating its European leadership in the recycled styrenic polymer sector.



VERSALIS REVIVE® The right choice for a sustainable future

Versalis Revive® products represent an innovative solution for those seeking more environmentally sustainable, circular materials.

- An advanced production process allows us to guarantee **uniform end-product quality** by managing a secondary raw material (SRM) with naturally variable properties.
- Every material includes complete **certifications and technical documentation** for full transparency, regulatory compliance, and traceability.
- We provide **specialist technical support**, assisting customers in material choice and optimisation for their specific applications.
- As a **European mechanical recycling hub**, we guarantee a continuous and reliable supply of materials, meeting the needs of an increasingly sustainability-driven industry.



PSV Certification: higher sustainability and quality assurance



The recycled content in Versalis Revive® products, as well as the origin of the recycled plastic materials used, are verified and certified through robust management and traceability systems. Refence®, Versalis Revive® PE, PS and EPS grades have Plastica Seconda Vita (PSV or second life plastic) certification under the terms of a scheme developed by the IPPR (Institute for the Promotion of Recycled Plastic).

There are various types of mark, each one revealing the 'first life' of the certified item's constituent plastics.

Carbon footprint measurement using LCA method

Versalis is committed to developing and promoting more environmentally sustainable solutions by expanding its portfolio with products made from alternative feedstocks, such as secondary raw materials (SRM) obtained from mechanical recycling, and by performing LCA (Life Cycle Assessment) evaluations according to internationally standardized methodologies. For Versalis Revive® grades, we have internal carbon footprint assessments available upon request.



VERSALIS REVIVE® EPS

Produced in **Mantua** and **Porto Marghera** plants, the **Versalis Revive® EPS** (expanded polystyrene) gamma contains Secondary Raw Materials (SRM) sourced from the collection of food packaging, appliance packaging, and seed-trays, compliant to UNI 10667/10.

This approach increases product circularity and significantly enhances the recyclability of styrenic polymer-based items. It also gives a second life to everyday products, transforming them after use into durable goods.

The **Versalis Revive® EPS** portfolio:

Commercial name	Versalis Revive® EPS 3000	Versalis Revive® EPS 3000 AE	Versalis Revive® EUROPE 3/5 AE	Versalis Revive® ES 3/5 AE
Dimensional range (mm)	0.7-1.1	0.7-1.1	0.7-1.1 1-1.6	0.6-1.2 1-1.6
Certification for recycled or bio-based content	PSV	PSV	PSV	PSV
% recycled	35	15	15	80
Application	Industrial packaging	Insulation	Insulation	Insulation
Compliance with regulations	European Recycled Packaging Regulations	CAM (minimum environmental criteria)	CAM (minimum environmental criteria)	CAM (minimum environmental criteria)
Insulation performance	x	x	xx	xx
Colour	○	○	●	●
Fire test	-	Euroclass E	Euroclass E	Euroclass E*

(*) Certification on going.

Versalis Revive® EPS products are used in the **industrial packaging** and **building insulation** sectors.

Industrial packaging



Versalis Revive® EPS 3000 contains **35% secondary feedstock** and is used for appliance, furniture and pharmaceutical packaging, meeting key European sustainable-packaging standards and regulations.


Versalis Revive® EPS3000 is the answer to the most critical packaging problems such as containment, protection, thermal insulation and environmental sustainability.

PACKAGING SHOULD ENSURE	VERSALIS REVIVE® EPS IS	SOME FACTS
Containment	Easily molded in all shapes	Thickness 2 to 200 mm
Protection	Impact resistant	Can be used to pack 100-1000 times its weight
Insulation	Thermal insulating for cold and warm applications	Thermal conductivity up to values even lower than 32 mW/mK at 15 g/l
Transportability	Light weight	About 98% of an EPS item consists of air
Environmental compatibility	100% recyclable 35% recycled	40% of EPS packaging in Europe is recycled




Its compressive strength allows packaging of heavy items and multiple-tier stacking.

The Versalis Research and Development Department has optimised **Versalis Revive® EPS 3000** to fully match the mechanical performance of its conventional counterpart.



Versalis Revive® EPS 3000 compressive strength versus density

The unique cellular structure of **Versalis Revive® EPS 3000** allows to manufacture courier boxes for the pharmaceutical and medical sectors able to keep the required low internal temperature for several hours.



Building insulation

Each **Versalis Revive® EPS product** for building is designed to deliver an optimum combination of properties for its intended use in compliance with Italian CAM (Criteri Minimi Ambientali) regulations.



Commercial name	Versalis Revive® EPS 3000/5000 AE	Versalis Revive® EPS EU 3 AE	Versalis Revive® EPS EU 5 AE	Versalis Revive® EPS ES 3 AE	Versalis Revive® EPS ES 5 AE
Dimensional range (mm)	0.7-1.1/1-1.6	0.7-1.1	1.0-1.6	0.6-1.2	1.0-1.6
Colour	White	Dark grey	Dark grey	Dark grey	Dark grey
Reaction to fire	Euroclass E	Euroclass E	Euroclass E	Euroclass E*	Euroclass E*
Typical density range (g/l)	15-30	17-25	13-25	17-30	17-25
Blocks	●	●	●	●	●
Moulding	●	●		●	
Thin-wall moulding	●	●		●	

(*) Certification on going.

VERSALIS REVIVE® PS

The **Versalis Revive® PS** portfolio consists of solid polystyrene grades with a variable recycled content. The material is sourced from different streams, including household waste, recovered appliances (WEEE), and compacted EPS briquettes, making it ideal for a variety of applications like **thermal insulation, electrical enclosures, packaging, and household goods**.

Most products in the Versalis Revive® PS family are mainly developed in partnership with Forever Plast, Italian company and leading European player in the recovery and recycling of **post-consumer plastic** sourced from the **CoRePla circuit** of sorted municipal solid waste. A specialised processing line enables separation of the polystyrene fraction contained in plates, cups, trays and yoghurt pots. These products have been awarded Plastica Seconda Vita (PSV) certification.

Thermal insulation - XPS

Versalis Revive® PS HE - HE(B) contains 60% recycled content from compacted EPS, which is sourced from packaging, agriculture and building and is designed to produce XPS board of varying thickness for thermal insulation sector. The product can be used to manufacture CAM-compliant (minimum environmental criteria) board.

Electrical&Electronics

Versalis Revive® PS RT has been specially developed for the E&E (electrical and electronics) sector and designed for the manufacture of electrical and electronic components such as enclosures and junction boxes. It contains at least 30% secondary raw material from separate household waste collection or recovery of electrical and electronic equipment (WEEE). It is available in either light grey or white according to the requirements of the E&E (electrical and electronics) sector.

PRODUCT	COLOUR	RAL
Versalis Revive® PS RT 33010	Light grey	7035
Versalis Revive® PS RT 31600	White	9003

VERSALIS REVIVE® ABS


Versalis Revive® ABS is the range of solid copolymers containing secondary raw material. The high purity level of the recycled ABS and use of specific Versalis virgin styrenic polymers create a compound with performance suitable for various applications.

As part of the Versalis Revive® family, the ABS range has been developed in partnership with leading European players from the post-consumer and post-industrial plastic recovery and recycling sector. A specialised processing line enables separation and recovery of the fraction of ABS sourced from processing-industry scrap and/or WEEE recovery.

Commercial name	% recycled	Source of waste	Main Application	Processing technology
Versalis Revive® ABS L322 Black	70	Post-industrial	Automotive and other	Injection moulding
Versalis Revive® ABS F332 Black	70	Post-industrial	Automotive and other	Injection moulding
Versalis Revive® ABS SH 106 (Black)	30	Post-industrial	Automotive and other	Extrusion, Injection moulding



Versalis Revive® PS products are:				
Commercial name	Versalis Revive® PS 100	Versalis Revive® PS Air-HE/HE(B)	Versalis Revive® PS RT 33010	Versalis Revive® PS RT 31600
Direct food-contact	No	No	No	No
% recycled	100	60	Up to 30	Up to 30
MFI (200°C, 5 kg), g/10	4.5	10-15	6.5	6.5
Izod un-notched (23°C, 4 mm), kJ/m²	3.5	-	8	7
Vicat (50 N – 50 °C/h), °C	90	97	88	88
Certification for recycled or bio-based content	PSV	PSV soon	PSV	PSV
Source of waste	Domestic post-consumer waste	SRM from compacted EPS	Domestic post-consumer waste	Recovery of electrical and electronic equipment
Main Application	Packaging	Thermal insulation - XPS board	Electrical & Electronics	
Colour	Grey	amber/neutral or grey/brown	RAL 7035 light grey	RAL 9003 white



VERSALIS REVIVE® PE

Versalis Revive® PE is the polyethylene-based product line containing up to 100% plastic sourced from municipal post-consumer waste or the trade and industry supply chain, developed at Versalis research laboratories in partnership with leading European specialists in mechanical recovery and recycling technology.

The Versalis Revive® PE portfolio consists of:

• VERSALIS REVIVE® PE LL/LD





Four products based on low-density polyethylene (LDPE) and linear low-density polyethylene (LLDPE), suitable for use with blown film and extrusion technology. They are designed for co-extrusion and blending with virgin polyethylene to produce films for a wide range of secondary and tertiary packaging applications, such as shrink film, bags, pallet hoods, silage film, and stretch film. Other applications include artificial turf, hoses, foam materials and electrical cable sheathing.







• VERSALIS REVIVE® PE HD

High-density polyethylene-based products, suitable for blown film, blow moulding and extrusion technology, used to manufacture, in co-extrusion and blended with virgin polyethylene, various films for industrial packaging and jerry cans to store industrial and household chemicals.



Commercial name	100 LF H	100 HD G	100 HD W	100 HD
MFI (190°C/2.16 kg)	0.7	0.3	0.4	0.3
DENSITY (g/cm³)	0.930	0.965	0.968	0.954
Certification for recycled or bio-based content	PSV	PSV	PSV	PSV
% recycled	100 industrial post-consumer	100 municipal post-consumer	100 municipal post-consumer	100% municipal post-consumer
Application	Film intended for various uses in secondary or tertiary packaging: - shrink films - bags - hoods - silage films	Packaging of industrial products -tanks for chemical products, industrial and household use - pipes and various profiles	Packaging of industrial products -tanks for chemical products, industrial and household use - pipes and various profiles	Packaging of industrial products -tanks for chemical products, industrial and household use - pipes and various profiles
Colour	 Amber/Neutral	 Grey	 White	 Blue

Commercial name	100 LC H	100 LFB H	100 LFS O	100 LFS L
MFI (190°C/2.16 kg)	2	0.5	0.7	0.75
DENSITY (g/cm³)	0.922	0.925	0.945	0.940
Certification for recycled or bio-based content	PSV	PSV	-	-
% recycled	100 industrial post-consumer	100 industrial post-consumer	100 municipal post-consumer	100 municipal post-consumer
Application	Films intended for the production of stretch film, where the colour is neutral and particularly requested	Film intended for various uses in secondary or tertiary packaging: - shrink films - bags - hoods	- Films for secondary or tertiary industrial packaging, - agricultural foil, - pipes.	- Films for secondary or tertiary industrial packaging, - agricultural foil, - pipes.
Colour	 Amber/Neutral	 Amber/Neutral	 Dark green	 Grey

VERSALIS REVIVE® PP


Versalis Revive® PP is a next-generation polypropylene derived from 100% secondary raw material, sourced from urban separate waste collection. It combines a higher environmental sustainability with solid mechanical performance, offering manufacturers a reliable and cost efficient solution for technical applications where stiffness, toughness, and thermal resistance are essential. It is fully compatible with standard injection moulding equipment.

At Versalis, we are actively working to **expand the Revive® PP product portfolio**.

- Developing **new grades**
- Improving **aesthetic performance**
- Expanding into additional **processing technologies**, beyond injection moulding

This ongoing development will allow customers to benefit from a **wider and more versatile offering**, aligned with future market requirements and regulatory frameworks.



Commercial name	Versalis Revive® PP C304
MFI (230°C/2.16 kg)	10 g/10'
DENSITY (g/cm³)	0.922
Certification	-
% recycled	100 municipal post-consumer
Application	<p>Technical Components (Inner housings, Spacers, Conduits, Rings) Outdoor Furniture & Household (Urban and household rigid items, pots, shelving) Construction (Concrete spacers, Formwork, Ventilated crawl spaces, Floor slabs) Technical Non Food Packaging (canisters, caps) Compounding</p>
Colour	 Grey

VERSALIS REVIVE® ELASTOMERS

Versalis has developed and marketed a line of **Versalis Revive®** elastomeric products linked to the end-of-life-tyre recycling industry.

These are ESBR grades containing a blend of end-of-life-tyre (ELT) crumb rubber, called Revive® ESBR, and a fully recycled rubber (Versalis Revive® DVC), obtained and developed as a result of partnership between Versalis and the Turin company, AGR.

VERSALIS REVIVE® ESBR

Versalis Revive® ESBR products are rubber masterbatches obtained by coagulating SBR latex and a blend of end-of-life-tyre (ELT) crumb rubber supplied and manufactured by a third-party company.

The black bales are wrapped in readily dispersible polyethylene film.

These products offer numerous sustainability benefits for rubber compounders by using recycled material and handling solid bales instead of crumb rubber, thereby preventing dust emissions in the mixing room.

Furthermore, these products can be successfully blended with other elastomers (BR, NR, etc.), thus ensuring homogeneous compounds and good curing performance.

The **Versalis Revive® ESBR 12D02** grade currently represents the portfolio and is mainly used in tyre manufacturing and technical rubber goods.

	Mooney Viscosity	Bound Styrene (% w/w)	Oil content (% w/w)	ELT Micronized powder (% w/w)
12D02*	60	23.5	-	15

*Also available in an oil-extended version with TDAE, upon specific request.

VERSALIS REVIVE® DVC



The Versalis Revive® DVC family consists of products derived from devulcanised ELT feedstock, developed in partnership with AGR proprietary technology for the devulcanization of post-consumer elastomeric materials.

The project has been jointly developed with the EcoTyre Consortium that runs a national ELT collection and treatment network.

The **Versalis Revive® DVC 4T1** grade is generated by devulcanisation of end-of-life Truck & Bus tyres.

Key features of these materials:

- 100% products made with recycled material;
- ready to be mixed and revulcanised in new compounds as a replacement for virgin rubbers;
- different grades developed for various applications thanks to the accurate control of the feedstock and devulcanization process.





info@versalis.eni.com
www.versalis.eni.com

